

EP



Publication number: **0 475 482 A1**

EUROPEAN PATENT APPLICATION

Application number: 91202070.8

Int. Cl.⁵: **A61K 47/02, A61K 9/16, A61K 9/20, A61K 31/33**

Date of filing: 13.08.91

Priority: 13.09.90 US 581859

Date of publication of application:
18.03.92 Bulletin 92/12

Designated Contracting States:
AT BE CH DE DK ES FR GB GR IT LI NL SE

Applicant: **AKZO N.V.**
Velperweg 76
NL-6824 BM Arnhem(NL)

Inventor: **de Haan, Pieter**
Drijvershof 18
NL-5343 XB Oss(NL)
Inventor: **van der Ven, Cornelus Josephus**
Ploegdrijverke 11
NL-5404 PH Uden(NL)

Stabilized solid chemical compositions.

Disclosed are stabilized dry chemical (e.g. pharmaceutical) compositions containing the water soluble acid addition salt of a poorly soluble basic compound (e.g. mianserin, apomorphine, chlorpromazine, imipramine, or promethazine); an excipient selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate, and mixtures thereof; and a water soluble (> 2mg/ml) alkaline stabilizer. The dry composition is relatively more stable than one not containing the water soluble alkaline stabilizer, especially after a high temperature granulation process. The process for preparing the dry composition is also more "rugged" with the added water soluble alkaline stabilizer.

EP 0 475 482 A1

Background of the Invention

Field. This invention relates to chemical compositions generally, especially to stable solid pharmaceutical preparations containing the water soluble acid addition salt of a poorly soluble basic compound.

State of the Art: Methods for making tablets and other solid or dry pharmaceutical preparations are well-known. For example in Chase, et al, Remington's Pharmaceutical Sciences, pp. 1553 - 1576 (16th ed. 1980, Mack Publ. Co. of Easton, PA, U.S.A.), methods of making tablets, capsules and pills and their respective components are described.

Two methods of making tablets are the "wet-granulation" and "dry-granulation" methods. The dry granulation method is especially suitable for medicinal compounds which are sensitive to moisture or are unable to withstand elevated drying temperatures associated with the wet-granulation methods.

Even with the use of these granulation methods however, the tableting of certain compounds (e.g. the water soluble acid addition salts of poorly soluble basic drugs) is less than ideal. Granulation processes using these compounds are not very "rugged", i.e. the processes have relatively strict tolerances making the granulation process extremely sensitive to changes in process variables (e.g. temperature and moisture changes). A process which is not very rugged has relatively strict operating tolerances which make the process sensitive to changes in processing variables. This is especially disadvantageous with regard to high temperature granulation processes which involve high temperatures and high humidities.

Even after tablets or other dry dosage pharmaceutical preparations are made containing the water soluble acid addition salts of poorly soluble basic drugs, the resulting preparations are generally not very stable. They discolour and/or degrade under certain conditions. For example, they may discolour or degrade upon exposure to light, relatively high humidity, or elevated temperatures. Color changes and degradation are tokens of instability. These tokens of instability may occur rather rapidly, sometimes within months, forcing a pharmacist or wholesaler storing the tablets to restock the product frequently.

The compound sodium pyrophosphate ($\text{Na}_4\text{P}_2\text{O}_7$) has been described as stabilizing certain calcium phosphate compounds. For example in U.S. Patent No. 2,287,699 to Moss et al, alkali metal pyrophosphates (e.g. $\text{Na}_4\text{P}_2\text{O}_7$) are used to prepare a stabilized form of dicalcium phosphate (e.g. $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$). In U.S. Patent No. 3,012,852 to Nelson et al, a process for producing "internally stabilized" dicalcium phosphate dihydrate using pyrophosphate ions is also disclosed.

Certain magnesium compounds are also known to stabilize calcium phosphate compounds. For example in U.S. Patent No. 2,018,410 to McDonald et al, trimagnesium phosphate, magnesium sulfate, magnesium stearate, and dimagnesium phosphate are all described as stabilizing hydrated dicalcium phosphate compounds substantially free from monocalcium phosphate for use in dentifrice preparations. In GB 1,548,465 to Hoechst Aktiengesellschaft, dimagnesium phosphate trihydrate is used to stabilize dicalcium phosphate dihydrate. In U.S. Patent 3,411,873 to Harnisch et al, a process for stabilizing dicalcium phosphate dihydrate by means of a magnesium phosphate is disclosed.

In German patent application DE 2,741,513 to J. H. Benckiser GmbH, a procedure is described for stabilizing calcium hydrogen phosphate dihydrate against hydrolysis using a diphosphonic acid or its water-soluble salt.

In European Patent 054,333 to Stauffer Chemical Co., fine particles of a calcium phosphate (e.g. calcium pyrophosphate) are compacted under pressure to form a sheet. The sheet may then be comminuted to give a granular material. This granular material may then be used as an excipient in pharmaceutical tablets or wafers.

US Patent No. 4,743,450 to Harris et al discloses pharmaceutical compositions containing a drug (i.e. an ACE inhibitor), an alkaline stabilizer, and a saccharide. Harris et al prefers water insoluble stabilizers such as magnesium carbonate, calcium carbonate, and magnesium silicate, which have not always proved adequate in trying to stabilize a high temperature, high humidity granulation process. Harris et al also specifically requires a saccharide component in the described compositions, which unnecessarily adds to the costs of such compositions. Harris et al furthermore does not disclose any methods of increasing the ruggedness of a granulation procedure, nor does the reference disclose rugged granulation procedures utilizing temperatures greater than 45°C . It is now found that when the drying temperature exceeds 45°C , such procedures become less rugged. The same criticality is found with regard to granulation temperatures.

European patent application 380,021 to Abbott Laboratories discloses that buffers may be used to obtain complete solubilization of certain drugs, and that these buffers can increase the thermal stability of a drug formulation during the drying step of the granulation process. It also discloses solid dosage forms having increased stability which may contain estropipate, a tromethamine buffer, and an additional alkaline buffering agent, such as dibasic sodium phosphate. The dosage forms may also contain an excipient, such as dibasic calcium phosphate.

To date no one has been able to economically increase the ruggedness of a high temperature mixing step of granulation procedures involving certain unstable chemical compounds (e.g. the water soluble acid addition salt of a poorly soluble basic compound).

5 Summary of the Invention

Generally, the invention includes a dry chemical composition containing the water soluble acid addition salt of a poorly soluble basic compound (e.g. a drug); an excipient selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate, and mixtures thereof; and a water soluble alkaline stabilizer. The dry composition is relatively more stable than a composition not containing the water soluble alkaline stabilizer. Including the water soluble alkaline stabilizer in the process for preparing the dry pharmaceutical preparation makes the process surprisingly more "rugged" with respect to stabilization of the drug, especially with regard to high temperature and high humidity granulation techniques.

Poorly soluble basic compounds for use in the invention include mianserin, apomorphine, chlorpromazine, imipramine, and promethazine. The particular acid addition salts of the chosen compounds will be at least partially capable of stabilization, in the selected excipient, by the particular stabilizer during storage and during a high temperature (>45° C) granulation process.

The preparation contains a sufficient amount of stabilizer (generally from 0.5 to 10% by weight of the dry pharmaceutical preparation) to stabilize the acid addition salt of the compound in the preparation for a desired time at a desired temperature. A typical stabilizer is soluble in water (> 2 milligrams/milliliter (mg/ml)); is alkaline in aqueous solution; and should be acceptable (e.g. pharmaceutically) for the intended use of the preparation.

The invention also includes a method of increasing the ruggedness of a granulation procedure utilizing temperatures greater than 45° C, involving a mixture of water soluble acid addition salts of poorly soluble basic compounds, and an excipient selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate and mixtures thereof including: adding an acceptable alkaline compound having a water solubility of at least 2 milligrams / milliliter to the mixture, the acceptable alkaline compound being present in an amount from about 0.5 to about 10 percent by the dry weight of the granulation mixture.

Besides increasing the ruggedness of the granulation procedure, the resulting compositions are surprisingly stable, having a longer shelf-life. Furthermore, the compounds contained within the resulting compositions do not migrate to the exterior of the composition as is sometimes the case with the prior art compositions, and fissures do not form in the compositions. Unexpectedly, pharmaceutical preparations made using the invention have better bioavailability.

35 Description of the Preferred Embodiments

The stable dry composition is preferably a tablet, pill, capsule or powder. Tablets are the presently most preferred preparation, especially for pharmaceutical preparations.

The amount of drug in a dry pharmaceutical preparation will of course depend on the potency of the chosen drug and its intended use. The amount of drug used in a dosage unit is well-known to those skilled in the art, and depends on the particular acid addition salt used as the compound. Illustratively, tablets of mianserin hydrochloride contain from 10 - 60mg of the acid addition salt; tablets (hypodermic) of apomorphine hydrochloride contain from 5 to 6 milligrams; tablets of chlorpromazine hydrochloride contain from 10 to 200 milligrams; tablets of imipramine hydrochloride contain from 10 to 50 milligrams; and tablets of promethazine hydrochloride contain from 12.5 to 50 milligrams of promethazine hydrochloride.

Methods of making the described poorly soluble basic (e.g. amine) drug for use in the preparation are known. For example, methods of making imipramine are disclosed in U.S. Patent No. 2,554,736. Mianserin ("1,2,3,4,10,14b-hexahydro-2-methyl-dibenzo [c,f]pyrazino [1,2-a] azepine monohydrochloride), and similar compounds may be made according to the teachings of United States Patent Nos. 3,534,041 and 4,128,641. Other poorly soluble basic drugs which can form water soluble acid addition salts are readily commercially available.

Acid addition salts are derived from pharmaceutically acceptable acids, such as hydrochloric acid, sulfuric acid, phosphoric acid, acetic acid propionic acid, glycolic acid, maleic acid, fumaric acid, malonic acid, succinic acid, tartaric acid, lactic acid, citric acid, ascorbic acid, benzoic acid, methanesulfonic acid and the like. Acid addition salts may be obtained by reacting the poorly soluble basic drug with an appropriate acid in a suitable solvent.

The excipient is selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate, and mixtures thereof. The amount of the selected excipient generally varies from

about 30 to about 80% by weight of the dry pharmaceutical preparation. Preferably the excipients will comprise 50 to 80 % by weight of the dry pharmaceutical preparation.

Compounds useful to stabilize the tablets once made, and to make the hereinafter described granulation process more rugged, include sodium bicarbonate (NaHCO_3), ammonium carbonate, anhydrous sodium carbonate (Na_2CO_3), sodium carbonate monohydrate, sodium tartrate, sodium potassium tartrate, sodium citrate ($\text{C}_6\text{H}_5\text{Na}_3\text{O}_7 \cdot 2\text{H}_2\text{O}$), sodium hydroxide (NaOH), calcium acetate, sodium acetate, dibasic sodium phosphate ($\text{Na}_2\text{HPO}_4 \cdot 14\text{H}_2\text{O}$), anhydrous dibasic sodium phosphate, diammonium hydrogen phosphate ($(\text{NH}_4)_2\text{HPO}_4$), calcium leavinulate ($\text{C}_{10}\text{H}_{14}\text{CaO}_6 \cdot 2\text{H}_2\text{O}$), sodium pyrophosphate ($\text{Na}_4\text{P}_2\text{O}_7$), and mixtures thereof. Of these compounds sodium bicarbonate, ammonium carbonate, sodium citrate, dibasic sodium phosphate, anhydrous dibasic sodium biphosphate, diammonium hydrogen phosphate, sodium pyrophosphate and mixtures thereof are the most preferred.

The preparation preferably contains from 0.5 to 10% by weight of the dry pharmaceutical preparation of the stabilizer. Most preferably, the composition contains 1 to 5 % by weight of the pharmaceutical preparation (e.g. 1 to 5 % tablet weight).

As used herein, "stabilize" is a relative term. To stabilize means the ability to prevent or delay the onset of tokens of instability. For example, a composition would be deemed "stabilized" if, with the addition of a stabilizing compound ("stabilizer"), it took longer (e.g. 2 weeks instead of 1 week) to discolour in the presence of a destabilizing stimulus (e.g. storage of the solution at an elevated (60° centigrade (C)) temperature).

Methods for making dry pharmaceutical formulations are well-known. Methods for making powders are described in Remington's Pharmaceutical Sciences, pp. 1534 - 1552, the contents of which are incorporated by this reference. Methods for making tablets, capsules and pills are disclosed in the same reference at pages 1553 - 1584, the contents of which are also incorporated by this reference.

The preparations are preferably made in a wet-granulation process as described in Remington's Pharmaceutical Sciences at pages 1560 - 1563. The formulations can be stabilized for high temperature drying by first dry mixing the stabilizer with the tablet excipients before adding a granulation liquid (e.g. EXAMPLE I). Alternatively, the stabilizer may also be dissolved in the granulation liquid. Combinations of these two methods may also be used.

Although eminently suited for use in pharmaceutical dosage units, the invention has broader general applications not necessarily involved with the medical field. The invention can be used wherever high temperature, high humidity granulation techniques are required for compositions containing water soluble acid addition salts of poorly soluble chemical compounds (e.g. fertilizers, antiseptic or disinfectant tablets, herbicides, etc.).

The invention is further explained by reference to the following illustrative examples:

EXAMPLE I

Preparation of stabilized tablets

In a 300 liter high shear mixer, four batches are prepared according to the following FORMULATION 1:

FORMULATION	1 (kg)	2 (kg)
mianserin* HCl	10	10
potato starch (intragranular)	7.5	7.5
methylcellulose	1	1
colloidal SiO_2 (intragranular)	1	1
NaHCO_3	2.5	-
calcium hydrogenphosphate dihydrate	74.2	76.8
potato starch (intergranular)	2.5	2.5
colloidal SiO_2 (intergranular)	1	1
magnesium stearate	0.2	0.2

The mianserin hydrochloride, colloidal silicon dioxide, calcium hydrogenphosphate dihydrate, dried potato starch and sodium bicarbonate are mixed for 3 minutes. The mixture is then granulated with an aqueous solution of methylcellulose (approximately 15 liters).

The four batches of granulates are dried according to procedures Ia, Ib, Ic and Id respectively.

Ia. A fluid bed dryer with granule bed temperature of about 45-50° C to a moisture level of approximately

EP 0 475 482 A1

3.2 % and filled into closed containers.

1b. A fluid bed dryer with granule bed temperatures of about 30-35° C to moisture levels of approximately 3.2 % and filled into closed containers.

5 1c. In a drying cabinet with granule bed temperatures of about 35-40° C to moisture levels of approximately 3.2 % and filled into closed containers.

1d. In a drying cabinet with granule bed temperatures of about 45-50° C to moisture levels of approximately 3.2 % and filled into closed containers.

10 The granules of 1a to 1d are screened through a 3.5 and a 0.71 mm sieve respectively. The resulting batches are admixed with potato starch, colloidal silicon dioxide and finally with magnesium stearate, from which tablets of 100mg are prepared on a rotary press.

EXAMPLE II

Preparation of tablets without added stabilizer.

15 With the same equipment and the same process as described in EXAMPLE I, four batches are also made of the preparation of FORMULATION 2 (i.e. the formulation sans stabilizing agent). The granulates are dried in a fluid bed drier and in the drying cabinet in the same conditions as described in 1a to 1d of EXAMPLE I, and are referred to as 1Ia to 1Id respectively. After screening the granules, and admixing with
20 potato starch, colloidal silicon dioxide and magnesium stearate, 100mg tablets (total weight) are prepared.

EXAMPLE III

Ruggedness tests.

25 The respective batches (i.e. batches 1a through 1d and 1Ia through 1Id) are analyzed immediately after tableting. Batches 1Ia and 1Id almost immediately yellowed, while all other batches remain a bright white.

EXAMPLE IV

Accelerated destabilization tests.

30 Various batches (i.e. batches 1a - 1d and 1Ib and 1Ic) were analyzed by accelerated destabilization tests wherein the tablets were stored in closed containers and in unit dose strips at elevated temperatures for relatively short periods of time.

35 A. 40° C from 0 to 14 days - All batches maintained their bright white appearance for the period of time tested.

B. 50° C from 0 to 14 days - Batches 1a through 1d maintained their bright white appearance for the period of time tested. Batches 1Ib and 1Ic began yellowing after 7 days in a closed container.

40 C. 60° C from 0 to 14 days - Batches 1a through 1d maintained their bright white appearance for the period of time tested. Batches 1Ib and 1Ic began yellowing after 4 days in a closed container. Batches 1Ib and 1Ic began yellowing after 7 days in a unit dose strip.

EXAMPLES V

Preparation of stabilized tablets

45 In a 300 liter high shear mixer, four batches are prepared according to the following FORMULATION 3:

50

55

EP 0 475 482 A1

FORMULATION	3 (kg)	4 (kg)
mianserin* HCl	10	10
potato starch (intragranular)	7.5	7.5
potato starch (intergranular)	2.5	2.5
methylcellulose	1	1
Na ₂ HPO ₄	-	3
colloidal silicon dioxide	2	2
magnesium stearate	0.6	0.6
Dibasic calcium phosphate dihydrate	qsad 100.0	100.0

In a high shear mixer (300 liters) Formulation 3 is prepared by mixing for four minutes the mianserin* HCl, half of the colloidal silicon dioxide, dibasic calcium phosphate dihydrate, and potato starch (6.5 kg (intragranular)). Then the granulation liquid, a mucilage of 1 kg of potato starch (intragranular) and 1 kg of methylcellulose in approximately 15 kg of heated water (90° C) is added and granulation is commenced. Formulation 3 is dried in a fluid bed drier with a granule bed temperature of about 30 to 35° C until a residual moisture content of about 3.2 % is attained, and are then filled into closed (air-tight) containers.

Exactly the same procedure for Formulation 4 is used with the exception that the 3 kg of Na₂HPO₄ is dry mixed with the other tablet constituents before addition of the granulation liquid.

The resulting batches are admixed with potato starch (2.5 kg), colloidal silicon dioxide, and finally with magnesium stearate. The respective batches are analyzed immediately after tableting. The batches prepared as FORMULATION 3 almost immediately yellowed, while the batches prepared as FORMULATION 4 remain a bright white.

EXAMPLE VI

Ruggedness test combined with accelerated destabilization test (worst case scenario).

Three batches were prepared on a 2 kilogram scale in a 10 liter Gral high shear mixer with the following formulations respectively:

FORMULATION	3 (kg)	5&6 (kg)
mianserin* HCl	10	10
potato starch (intragranular)	7.5	7.5
potato starch (intergranular)	2.5	2.5
methylcellulose	1	1
Na ₄ P ₂ O ₇	-	3
colloidal silicon dioxide	2	2
magnesium stearate	0.6	0.6
Dibasic calcium phosphate dihydrate	qsad 100.0	100.0

Formulations 3, 5 and 6 were processed to granulates and tablets according to the with the hot mucilage of starch and methyl cellulose (90° C) as described in EXAMPLE V, with the exception that the granules have dried in a vacuum cabinet at approximately 35° C. The differences are:

Formulation 3: no stabilizer

Formulation 5: with stabilizer dissolved in the hot mucilage before granulation.

Formulation 6: with stabilizer dry mixed with the drug and the excipients before granulation with the hot mucilage.

Results-

Tablets of Formulation 3, 5, and 6 were stored at 60° C for approximately 10 days. Tablets of Formulation 3 were discoloured, but the tables of Formulations 5 and 6 remain a bright white, irrespective of the severe stress during hot granulation and storage of the tablets in extreme conditions.

EXAMPLE VII

Bioavailability tests

5 The tablets resulting from Formulations 2, 5 and 6 were subject to a standard test for predicting bioavailability (Dissolution in 0.1N HCl with a USP paddle, 50 rpm). Formulations 5 and 6 dissolved faster than Formulation 2, showing the advantage of using "hot" granulation steps.

Reference herein to specific embodiments or examples should not be interpreted as limitations to the scope of the invention, which is defined by the appended claims.

10 Claims

1. A dry chemical composition which has been granulated comprising: a water soluble acid addition salt of a poorly soluble basic compound; an excipient selected from the group consisting of microcrystalline cellulose, lactose, and calcium hydrogen phosphate in an amount from about 30 to about 80 percent by weight of the dry chemical composition; and a water soluble alkaline stabilizer, used to stabilize the composition during granulation, in an amount from about 0.5 to about 10 percent by weight of the dry chemical composition.
2. The dry chemical composition of claim 1 wherein said poorly soluble basic compound is selected from the group consisting of apomorphine, chlorpromazine, imipramine, promethazine, and mianserin.
3. The dry chemical composition of claim 2 wherein said poorly soluble basic compound is mianserin.
4. The dry chemical composition of claim 3 containing from about 1 to about 5 per cent by weight of the dry chemical composition a water soluble alkaline stabilizer.
5. The dry chemical composition of claim 1 wherein said stabilizer is selected from the group consisting of sodium bicarbonate, ammonium carbonate, sodium citrate, dibasic sodium phosphate, anhydrous dibasic sodium biphosphate, diammonium hydrogen phosphate, sodium pyrophosphate and mixtures thereof.
6. A method of increasing the ruggedness of a granulation procedure utilizing temperatures greater than 45°C and involving a mixture of a water soluble acid addition salt of poorly soluble basic compound, and an excipient selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate and mixtures thereof comprising: adding an alkaline compound having a water solubility of at least 2 milligrams / milliliter to the mixture before granulation, said alkaline compound being present in an amount from about 0.5 to about 10 percent by the dry weight of the granulation mixture.
7. The method of claim 6 wherein said alkaline compound has a solubility in water of at least 4 milligrams / milliliter.
8. The method of claim 7 wherein said alkaline compound is present in an amount from about 1 to about 5 per cent by weight of the granulation mixture.
9. The use of an alkaline compound having a water solubility of at least 2 milligrams / milliliter as a stabilizer in a high temperature granulation process involving a composition containing a mixture of a water soluble acid addition salt of poorly soluble basic compound, and an excipient selected from the group consisting of microcrystalline cellulose, lactose, calcium hydrogen phosphate and mixtures thereof.
10. A stabilized dry pharmaceutical preparation comprising:
the water soluble acid addition salt of an poorly soluble basic drug selected from the group consisting of apomorphine, chlorpromazine, imipramine, and promethazine;
from about 30 to about 80 per cent by weight of the dry pharmaceutical preparation, an excipient selected from the group consisting of microcrystalline cellulose, lactose, and calcium hydrogen phosphate; and

EP 0 475 482 A1

from about 0.5 to about 10 per cent by weight of the dry pharmaceutical preparation a water soluble alkaline stabilizer selected from the group consisting of sodium bicarbonate, ammonium carbonate, sodium citrate, dibasic sodium phosphate, anhydrous dibasic sodium phosphate, diammonium hydrogen phosphate, sodium pyrophosphate and mixtures thereof, said stabilizer used to stabilize said preparation during a granulation procedure.

5

10

15

20

25

30

35

40

45

50

55



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

DOCUMENTS CONSIDERED TO BE RELEVANT			EP 91202070.8
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
D, A	EP - A - 0 380 021 (ABBOTT LABORATORIES) * Abstract * ---	1, 4, 5	A 61 K 47/02 A 61 K 9/16 A 61 K 9/20 A 61 K 31/33
A	EP - B - 0 069 097 (ASTRA LÄKEMEDEL AKTIEBOLAG) * Claims * ----	1, 4, 5	
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			A 61 K
The present search report has been drawn up for all claims			
Place of search VIENNA		Date of completion of the search 20-12-1991	Examiner SCHNASS
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document Y : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons A : member of the same patent family, corresponding document			